according to Regulation (EC) No. 1907/2006



## Krytox<sup>™</sup> GPL 105

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2020
1.9	12.09.2020	1759023-00010	Date of first issue: 14.06.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Krytox™ GPL 105
SDS-Identcode	:	130000024218
Substance name	:	PFPE fluid

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Lubricant
Recommended restrictions on use	:	For industrial use only. Do not use or resell Chemours <sup>™</sup> materials in medical applica- tions involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

### **1.3 Details of the supplier of the safety data sheet**

Company	:	Chemours Netherlands B.V. Baanhoekweg 22 3313 LA Dordrecht Netherlands
Telephone	:	+31-(0)-78-630-1011
Telefax	:	+31-78-6163737
E-mail address of person responsible for the SDS	:	sds-support@chemours.com

### 1.4 Emergency telephone number

+(44)-870-8200418 (CHEMTREC - Recommended)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



## Krytox<sup>™</sup> GPL 105

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2020
1.9	12.09.2020	1759023-00010	Date of first issue: 14.06.2017

### 2.3 Other hazards

The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Substance name	: PFPE fluid
<b>Components</b> Remarks	: No hazardous ingredients

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Protection of first-aiders	:	No special precautions are necessary for first aid responders.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Inhalation may provoke the following symptoms: Polymer fume fever
	Skin contact may provoke the following symptoms: Redness
	Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically and supportively.

according to Regulation (EC) No. 1907/2006



## Krytox<sup>™</sup> GPL 105

Versi 1.9	on Revision Date: 12.09.2020		0S Number: 59023-00010	Date of last issue: 21.02.2020 Date of first issue: 14.06.2017
SEC	TION 5: Firefighting mea	sur	es	
	xtinguishing media			
	Suitable extinguishing media	:	Not applicable Will not burn	
	Unsuitable extinguishing media		Not applicable Will not burn	
5.2 S	pecial hazards arising from	n the	substance or mi	xture
	Specific hazards during fire- fighting	:	Exposure to com	oustion products may be a hazard to health.
	Hazardous combustion prod- ucts		Hydrogen fluoride carbonyl fluoride potentially toxic fl aerosolized partic Carbon oxides	uorinated compounds
5.3 A	dvice for firefighters			
	Special protective equipment for firefighters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.
	Specific extinguishing meth- ods	:	cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

### **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material.	
		For large spills, provide dyking or other appropriate contain-	



## Krytox<sup>™</sup> GPL 105

Version	Revision Date: 12.09.2020	SDS Number:	Date of last issue: 21.02.2020
1.9		1759023-00010	Date of first issue: 14.06.2017
		be pumped, stor Clean up remain bent. Local or national posal of this mat employed in the mine which regu Sections 13 and	aterial from spreading. If dyked material can e recovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding ational requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

•	y			
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.		
7.2 Conditions for safe storage, including any incompatibilities				
7.2 Conditions for safe storage, i	inc	luding any incompatibilities		
7.2 Conditions for safe storage, in Requirements for storage areas and containers	inc :	luding any incompatibilities Keep in properly labelled containers. Store in accordance with the particular national regulations.		
Requirements for storage	inc :	Keep in properly labelled containers. Store in accordance with		
Requirements for storage areas and containers	inc : :	Keep in properly labelled containers. Store in accordance with the particular national regulations.		
Requirements for storage areas and containers Advice on common storage Further information on stor-	inc : :	Keep in properly labelled containers. Store in accordance with the particular national regulations. No special restrictions on storage with other products.		

## 7.1 Precautions for safe handling

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.



## Krytox<sup>™</sup> GPL 105

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2020
1.9	12.09.2020	1759023-00010	Date of first issue: 14.06.2017

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis				
Hydrofluoric acid	7664-39-3	TWA	1.8 ppm 1.5 mg/m3	2000/39/EC				
	Further information: Indicative							
		STEL	3 ppm 2.5 mg/m3	2000/39/EC				
	Further inform	mation: Indicative	· ·					
		TWA	1.8 ppm 1.5 mg/m3 (Fluorine)	GB EH40				
		STEL	3 ppm 2.5 mg/m3 (Fluorine)	GB EH40				
Carbonyl difluoride	353-50-4	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC				
		mation: Indicative						
Carbon dioxide	124-38-9	TWA	5,000 ppm 9,000 mg/m3	2006/15/EC				
	Further information: Indicative							
		TWA	5,000 ppm 9,150 mg/m3	GB EH40				
		STEL	15,000 ppm 27,400 mg/m3	GB EH40				
Carbon monoxide	630-08-0	TWA	20 ppm 23 mg/m3	GB EH40				
		STEL	100 ppm 117 mg/m3	GB EH40				
		TWA	20 ppm 23 mg/m3	2017/164/EU				
	Further information: Indicative							
		STEL	100 ppm 117 mg/m3	2017/164/EU				
	Further inform	nation: Indicative						
		TWA	30 ppm 35 mg/m3	GB EH40				
		nation: Limits applica Y until 21/8/23	ble to underground mining	g & tunnelling in-				
		STEL	200 ppm 232 mg/m3	GB EH40				
	Further information: Limits applicable to underground mining & tunnelling in- dustries ONLY until 21/8/23							

### 8.2 Exposure controls

### Engineering measures

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

#### Personal protective equipment



## Krytox<sup>™</sup> GPL 105

Version 1.9	Revision Date: 12.09.2020		DS Number: 59023-00010	Date of last issue: 21.02.2020 Date of first issue: 14.06.2017
Eye protection		:	Wear the following personal protective equipment: Safety glasses Equipment should conform to BS EN 166	
Hand	protection			
Re	emarks	: Wash hands before breaks and at the end o		re breaks and at the end of workday.
Skin a	and body protection	: Skin should be washed after contact.		ashed after contact.
Resp	iratory protection	•		
Filter	type	:	Combined acidic	gas/vapour and organic vapour type (AE)

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	:	viscous liquid
Colour	:	colourless
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	> -55 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

according to Regulation (EC) No. 1907/2006



# Krytox™ GPL 105

Vers 1.9	sion	Revision Date: 12.09.2020		S Number: 59023-00010	Date of last issue: 21.02.2020 Date of first issue: 14.06.2017
	Relativ	e density	:	1.86 - 1.91 (24 °	C)
		ity(ies) ter solubility	:	insoluble	
	Partitic octano	on coefficient: n- I/water	:	No data available	9
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	350 °C	
	Viscos Viso	ity cosity, kinematic	:	No data available	9
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
9.2	•	nformation ability (liquids)	:	Will not burn	
	Particle	e size	:	Not applicable	

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	
Not classified as a reactivity hazar	rd.
10.2 Chemical stability	
Stable under normal conditions.	
10.3 Possibility of hazardous reaction	ns
Hazardous reactions :	Hazardous decomposition products will be formed at elevated temperatures.
10.4 Conditions to avoid	
Conditions to avoid :	None known.
10.5 Incompatible materials	
Materials to avoid :	None.
10.6 Hazardous decomposition prod	lucts
Thermal decomposition :	Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide



## Krytox<sup>™</sup> GPL 105

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2020
1.9	12.09.2020	1759023-00010	Date of first issue: 14.06.2017

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact

### Acute toxicity

Not classified based on available information.

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### **SECTION 12: Ecological information**

12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

**12.3 Bioaccumulative potential** No data available



## Krytox<sup>™</sup> GPL 105

Version 1.9	Revision Date: 12.09.2020	•	DS Number: 759023-00010	Date of last issue: 21.02.2020 Date of first issue: 14.06.2017
	i <b>lity in soil</b> ata available			
	ults of PBT and vPvB a elevant	asse	ssment	
12.6 Othe	r adverse effects			
No da	ata available			
SECTIO	N 13: Disposal consi	ider	ations	
13.1 Was	te treatment methods			
Prod	uct	:	According to the are not product s Waste codes sho	ordance with local regulations. European Waste Catalogue, Waste Codes pecific, but application specific. uld be assigned by the user, preferably in ne waste disposal authorities.
Conta	aminated packaging	:	Empty containers dling site for recy	should be taken to an approved waste han- cling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14: Transport information**

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII)

according to Regulation (EC) No. 1907/2006



## Krytox<sup>™</sup> GPL 105

Versi 1.9	ion	Revision Date: 12.09.2020	SDS Number: 1759023-00010		last issue: 21.02.2020 first issue: 14.06.2017
	-	- Candidate List of Su for Authorisation (Arti	bstances of Very High cle 59).	:	Not applicable
	REACH (Annex )		ubject to authorisation	:	Not applicable
	•	on (EC) No 1005/2009 ozone layer	on substances that d	e- :	Not applicable
	Regulati tants (re		persistent organic pol	llu- :	Not applicable
I	ment an		of the European Parlia ing the export and imp		Not applicable
	Seveso	III: Directive 2012/18/E	EU of the European Pa	arliament	and of the Council on the control of

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

Other information :	<ul> <li>Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.</li> <li>Chemours<sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company.</li> <li>Before use read Chemours safety information.</li> <li>For further information contact the local Chemours office or nominated distributors.</li> <li>Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.</li> </ul>
Full text of other abbreviation	S
2000/39/EC :	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2006/15/EC	Europe. Indicative occupational exposure limit values
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits
	Limit Value - eight hours
2000/39/EC / STEL :	Short term exposure limit
	Limit Value - eight hours
2017/164/EU / STEL :	Short term exposure limit
	Limit Value - eight hours
GB EH40 / TWA : GB EH40 / STEL :	Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)
GD EH40 / STEL	Short-term exposure limit (15-minute reference period)



## Krytox<sup>™</sup> GPL 105

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2020
1.9	12.09.2020	1759023-00010	Date of first issue: 14.06.2017

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN